

SHA3

Past, Present, and Future

John Kelsey

NIST

CHES 2013

Overview


- Before the competition
- The competition
- Standardizing Keccak as SHA3
- What's next?

Before the Competition

Origins

- ▶ Hash functions appeared as an important idea at the dawn of modern public crypto.
- ▶ Many ideas floating around to build hash functions from block ciphers (DES) or mathematical problems.
- ▶ Ways to build hash functions from compression functions
 - ▶ Merkle-Damgaard
- ▶ Ways to build compression functions from block ciphers
 - ▶ Davies-Meyer, MMO, etc.

Merkle-Damgaard



- ▶ Used in all widespread hash functions before 2004
 - ▶ MD4, MD5, RIPE-MD, RIPE-MD160, SHA0, SHA1, SHA2

Image from Wikipedia

The MD4 Family

- ▶ Rivest published MD4 in 1990
- ▶ 128-bit output
- ▶ Built on 32-bit word operations
- ▶ Add, Rotate, XOR, bitwise logical operations
- ▶ Fast
- ▶ First widely used dedicated hash function
- ▶ 48 steps = 3 passes over msg




Image from Wikipedia MD4 Article

MD5

- ▶ Several researchers came up with attacks on weakened versions of MD4
- ▶ Rivest created stronger function in 1992
- ▶ Still very fast
- ▶ Same output size
- ▶ *Some attacks known*
 - ▶ *Den Boer/Bosselaers*
 - ▶ *Dobbertin*
- ▶ 64 steps = 4 passes over msg




Image from Wikipedia MD5 Article

SHA-0 and SHA-1

- ▶ SHA-0 published in 1993
- ▶ 160-bit output
 - ▶ (80 bit security)
- ▶ NSA design
- ▶ Revised in 1995 to SHA-1
 - ▶ Round function (pictured) is same
 - ▶ Message schedule more complicated
- ▶ *Crypto '98 Chabaud/Joux attack on SHA-0*
- ▶ 80 steps = 5 passes over msg




Image from Wikipedia SHA1 Article

SHA-2

- ▶ Published 2001
- ▶ Three output sizes
 - ▶ 256, 384, 512
 - ▶ 224 added in 2004
- ▶ Very different design
- ▶ Complicated message schedule
- ▶ *Still looks strong*
- ▶ 256 bit output: 64 steps = 4 passes
- ▶ 512 bit output: 80 steps = 5 passes




Image from Wikipedia SHA2 Article

As of 2004, we thought we knew what we were doing.

- ▶ MD4 was known to be broken by Dobbertin, but still saw occasional use
- ▶ MD5 was known to have theoretical weaknesses from Den Boer/Bosselaers and Dobbertin, but still in wide use.
- ▶ SHA-0 was known to have weaknesses and wasn't used.
- ▶ SHA-1 was thought to be very strong.
- ▶ SHA-2 looked like the future, with security up to 256 bits
- ▶ Merkle-Damgaard was normal way to build hashes

Crypto 2004: The Sky Falls

Crypto 2004

- Conference:
 - ▶ Joux shows a surprising property in Merkle-Damgaard hashes
 - ▶ Multicollisions
 - ▶ Cascaded hashes don't help security much
 - ▶ Biham/Chen attack SHA-0 (neutral bits)
- Rump Session:
 - ▶ Joux shows attack on SHA-0
 - ▶ Wang shows attacks on MD4, MD5, RIPEMD, some Haval variants, and SHA-0
 - ▶ Much better techniques used for these attacks

We found out we didn't know much about hash functions

- ▶ Wang's techniques quickly extended
 - ▶ Better attacks on MD5 by many people
 - ▶ Claimed attacks on SHA-1 (2005)
- ▶ Joux's multicollisions extended and applied widely
 - ▶ Second preimages and herding
 - ▶ Multicollisions even for multiple passes of hash
 - ▶ Much more

What to do next?

- ▶ All widely used hash functions called into question
 - ▶ MD5 and SHA1 were very widespread
 - ▶ SHA-2 and RIPE-MD160, neither one attacked, were not widely used.
- ▶ At same time, NIST was pushing to move from 80- to 112-bit security level
 - ▶ Required switching from SHA-1 to SHA-2
- ▶ Questions about the existing crop of hash functions
 - ▶ SHA-1 was attacked, why not SHA-2?

Pressure for a Competition

- ▶ We started hearing from people who wanted a hash competition
- ▶ AES competition had happened a few years earlier, and had been a big success
- ▶ This would give us:
 - ▶ Lots of public research on hash functions
 - ▶ A new hash standard from the public crypto community
 - ▶ Everything done out in the open

Hash Workshops

- ▶ Gaithersburg 2005
- ▶ UCSB 2006

- ▶ Encouragement to have competition
- ▶ Lots of ideas/feedback about how competition should work.
- ▶ Somewhere in here, we decided to have a competition.

2007: Call for Proposals

- ▶ We spent a lot of time getting call for proposals nailed down:
 - ▶ Algorithm spec
 - ▶ Security arguments or proofs
 - ▶ Preliminary analysis
 - ▶ Tunable security parameter(s)

Security Requirements

- ▶ Drop-in replacement for SHA-2
 - ▶ or even SHA-1 or MD5 with truncation
- ▶ Security for N-bit Hash
 - ▶ N/2 bit collision resistance
 - ▶ *N bit preimage resistance*
 - ▶ N-K bit second preimage resistance
 - ▶ $K = \lg(\text{target message length})$
- ▶ Eliminate length-extension property!
- ▶ Tunable security/performance tradeoffs.

The Competition

Hash Competition Timetable

<i>Date</i>	<i>Event</i>	<i>Candidates Left</i>
11/2/2007	Call for Proposals published, competition began	
10/31/2008	SHA3 submission deadline	<i>64</i>
12/10/2008	<i>First-round candidates announced</i>	51
2/25/2009	First SHA3 workshop in Leuven, Belgium	51
7/24/2009	<i>Second-round candidates announced</i>	14
8/23/2010	Second SHA3 workshop in Santa Barbara, CA	14
12/9/2010	<i>SHA3 finalists announced</i>	5
3/22/2012	Third SHA3 workshop in Washington, DC	5
10/2/2012	<i>Keccak announced as the SHA3 winner</i>	1

64 → 51

- ▶ We started with 64 submissions (10/08)
- ▶ 51 were complete and fit our guidelines
- ▶ We published those 51 on December 2008
- ▶ Huge diversity of designs

51 → 14

- ▶ About a year and a half—published July 2009
- ▶ 2009 Hash Workshop in Leuven
- ▶ Many algorithms broken or seriously dented.
- ▶ AES competition had 15 submissions; we took a year to get down to 14.

BLAKE BMW Cubehash Echo Fugue **Grosth** Hamsi
JH Keccak Luffa SHABAL SHAVite SIMD **Skein**

14 → 5

- ▶ About a year and a half—announced Dec 2010
- ▶ Second SHA3 Workshop at Santa Barbara
- ▶ Much harder decisions
 - ▶ Cryptanalytic results were harder to interpret
 - ▶ Often distinguishers of no apparent relevance

BLAKE **Grosth** **JH** ***Keccak*** **Skein**

5 → 1

- ▶ About two years—final decision Oct 2012
- ▶ Third SHA3 Workshop in Washington, DC
- ▶ Very tough decisions
- ▶ Security, Performance, Complementing SHA3

Keccak

Security

- ▶ Nobody knocked out by cryptanalysis
 - ▶ Different algorithms got different depth of cryptanalysis
 - ▶ Keccak and Blake had best security margins
 - ▶ Domain extenders (aka chaining modes) had security proofs
 - ▶ Grostl had a very big tweak, Skein a significant one
 - ▶ ARX vs non-ARX designs
-
- *Keccak looks very strong, and had been analyzed in sufficient depth to give us confidence.*

Performance

- ▶ All five finalists have acceptable performance
 - ▶ ARX designs (BLAKE and Skein) are excellent on high-end software implementations
 - ▶ JH and Grostl fairly slow in software
 - ▶ Keccak is very hardware friendly
 - ▶ High throughput per area
- *Keccak performs well everywhere, and very well in hardware.*

Complementing SHA2

- ▶ SHA3 will be deployed into a world full of SHA2 implementations
- ▶ SHA2 still looks strong
- ▶ We expect the standards to coexist.
- ▶ SHA3 should *complement* SHA2.
 - ▶ Good in different environments
 - ▶ Susceptible to different analytical insights
- *Keccak is fundamentally different from SHA2. Its performance properties and implementation tradeoffs have little in common with SHA2.*


Wrapup on Selecting a Winner

- ▶ Keccak won because of:
 - ▶ High security margin
 - ▶ High quality analysis
 - ▶ Elegant, clean design
 - ▶ Excellent hardware performance
 - ▶ Good overall performance
 - ▶ Design diversity from SHA2

How Did It Work Out?

- ▶ The competition brought forth a huge amount of effort by people outside NIST
- ▶ The cryptographic community did the overwhelming majority of the work:
 - ▶ Submissions
 - ▶ Analysis
 - ▶ Proofs
 - ▶ Reviews of papers for conferences/journals
 - ▶ Performance benchmarks
 - ▶ Implementations
- ▶ NIST's main job was to understand that work and make decisions based on it.

Keccak looks nothing like MD4



Images from Keccak submission

Keccak as SHA3

What Will SHA3 Standardize?

- Hash functions (fixed output length)
 - **SHA3-224** **SHA3-256**
 - **SHA3-384** **SHA3-512**
- Sponge functions (variable output length)
 - **SHAKE256**
 - **SHAKE512**

SHA3 Fixed-Length Hash Functions

- Drop in replacements for SHA2
- SHA3-224, SHA3-256, SHA3-384, SHA3-512
- Different output lengths are unrelated

$\text{SHA3-224}(X) = \text{ABCDEFGH}$

$\text{SHA3-256}(X) = \text{HIJKLMNO}$

Almost the same security claims as SHA2.

SHAKE256 and SHAKE512

- “Sponge functions”
- Variable length output
- SHA + Keccak
- *Different output lengths give related hashes*

$\text{SHAKE256}(X, 224) = \text{ABCDEFGFG}$

$\text{SHAKE256}(X, 256) = \text{ABCDEFGFH}$

Variable-length output is useful


- Lots of protocols and applications need this
 - OAEP, most KDFs, Fix for Vaudenay's DSA attack
- Better to have it as part of hash definition
- But may be tricky to use correctly:
 - $\text{SHAKE256}(X, 112) = K1 K2$
 - $\text{SHAKE256}(X, 168) = K1 K2 K3$

SHAKE256 and SHAKE512



Image from Rene Peralta

Under the hood, they're all sponges



- Hash functions: (SHA3-x)
 - Restricted to fixed length
 - Padding: different outputs for different lengths
- Sponge functions: (SHAKE-c)
 - Variable length
 - We don't know output length till output's done

From Keccak to SHA3: Preliminaries

Collision and Preimage Resistance

- Collision:

- Find X, Y so that

- $\text{hash}(X) == \text{hash}(Y)$**

- n -bit output \rightarrow collisions with $2^{n/2}$ work

- Preimage:

- Given Y , find X so that


- $\text{hash}(X) == Y$**

- n -bit output \rightarrow preimages with 2^n work

Security Levels

- Convenient to assign each algorithm a security level
- Algorithm with 128-bit security level promises to resist attacks up to about 2^{128} computations.
- SHA256: 128-bit security level
 - But claims no preimages up to 2^{256} work!
 - Natural—that's the limit for n-bit hash functions

Capacity and Security



- ▶ A sponge has collision and preimage resistance of $C/2$ bits.
- ▶ Finding a collision or preimage is equally hard
- ▶ Bigger C = slower hashing

Sponges vs Merkle-Damgaard

- Most MD hashes: n bit output means
 - n bits preimage resistance
 - $n/2$ bits collision resistance
- Sponges: C bit capacity means
 - $C/2$ bit security level
 - Variable output size

From Keccak to SHA3

Keccak SHA3 Submission

- Had four versions, each with a different capacity
 - Keccak-224, -256, -384, -512
 - Hard to see why we needed four
- Guaranteed n-bit preimage resistance by making capacity huge.
- Suffered big performance hit to get this preimage resistance.
 - Hard to see why this made sense.


One security level for each function

Only two capacities in SHA3

- **SHA3-224*** } **128** bits of security
- **SHA3-256** } against everything
- **SHAKE256** } (C = 256)

- **SHA3-384*** } **256** bits of security
- **SHA3-512** } against everything
- **SHAKE512** } (C = 512)

Capacity and Security



- ▶ A sponge has collision and preimage resistance of $C/2$ bits.
- ▶ Finding a collision or preimage is equally hard
- ▶ Bigger C = slower hashing

Security level determined by hash function internals, not output size

- ▶ 128-bit security level

 - ▶ SHA3-224

 - ▶ SHA3-256

 - ▶ SHAKE256

- ▶ 256-bit security level

 - ▶ SHA3-384

 - ▶ SHA3-512

 - ▶ SHAKE512

Summary of Keccak → SHA3 Changes

- Changed padding scheme
 - Sakura scheme from Keccak designers
 - Supports fixed-length hashes and sponges
 - Supports tree hashing
- Only two capacities (256 and 512)
- Preimage strength = collision strength
 - Using tunable parameter to make performance/security tradeoff
 - But this is a pretty big change from the submission

What next?

Getting the FIPS Out

- This should be FIPS 202
- Draft for public comment around end of October 2013.
- The FIPS process can be slow
 - ...and a lot of it is outside our control
 - The final FIPS document goes to the Secretary of Commerce for approval

Authenticated Encryption

- Keccak specified a duplex mode for authenticated encryption
- We plan to standardize this in a special publication
- Hope to have draft for public comment next year

PRF

- Keccak specifies a dedicated PRF
 - Can be used in place of HMAC
 - Perhaps also for randomized hashing
- We also plan to standardize this in a special publication.
- Hope to have a draft out next year.

Tree Hashing

- We are also working on a standard for tree hashing
 - Will incorporate Keccak team's Sakura padding scheme where possible
 - Will support tree-hashing with SHA3 and SHA2
- Hope to have a draft out next year.

Random Number Generation

- Keccak Duplex mode can be used for cryptographic random number generation
- We are considering adding another DRBG for SP 800-90A based on SHA3 in duplex mode
- No timetable or commitment to this yet

Further in the Future

- We are interested in analysis of Keccak with smaller permutation sizes
 - Could be really nice for constrained devices
 - Currently not a lot of published analysis
- What else can be done with sponge functions?
- What else can be done with duplex mode?

2014 NIST Hash Workshop

- Colocated with Crypto 2014
 - Friday and Saturday
- Workshop on all things SHA2 and SHA3
 - Keccak with smaller permutations
 - Cryptanalysis and differential/linear trail bounds
 - Tree hashing
 - Generic hash-based authenticated encryption
 - Clever applications for sponges or duplex mode

<http://csrc.nist.gov/groups/ST/hash/sha-3/Aug2014/index.html>

Thank You!

- This whole thing would have been impossible without the help of the community
 - The amount of work done for free to choose a new SHA3 was incredible
 - We really appreciate it
-
- Questions?