

CECW-EE

**DEPARTMENT OF THE ARMY  
US Army Corps of Engineers  
Washington, DC 20314-1000**

EM 1110-1-1003

Manual  
No. 1110-1-1003

1 July 2003

**Engineering and Design  
NAVSTAR GLOBAL POSITIONING SYSTEM SURVEYING**

**Table of Contents**

<b>Subject</b>	<b>Paragraph</b>	<b>Page</b>
<b>Chapter 1 Introduction</b>		
Purpose .....	1-1	1-1
Applicability .....	1-2	1-1
Distribution .....	1-3	1-1
References .....	1-4	1-1
Background .....	1-5	1-1
Use of Manual .....	1-6	1-2
Scope of Manual .....	1-7	1-2
Life Cycle Project Management Applicability .....	1-8	1-3
Metrics and Accuracy Definitions .....	1-9	1-3
Trade Name Exclusions .....	1-10	1-3
Abbreviations and Terms .....	1-11	1-4
Mandatory Requirements .....	1-12	1-4
Governing Engineer Regulations and Related Standards .....	1-13	1-4
Proponency and Waivers .....	1-14	1-4
<b>Chapter 2 Operational Theory of NAVSTAR GPS</b>		
General .....	2-1	2-1
Global Positioning System (GPS) Overview .....	2-2	2-1
NAVSTAR GPS Program Background .....	2-3	2-1
NAVSTAR System Configuration .....	2-4	2-2
GPS Broadcast Frequencies and Codes .....	2-5	2-5
GPS Broadcast Messages and Ephemeris Data .....	2-6	2-6
GPS Status and Problem Reporting .....	2-7	2-8
GPS User Operating and Tracking Modes .....	2-8	2-10
Absolute GPS Positioning Techniques .....	2-9	2-10
Differential or Relative GPS Positioning Techniques .....	2-10	2-11
NAVSTAR GPS Modernization Initiatives (2003-2014) .....	2-11	2-11

<b>Subject</b>	<b>Paragraph</b>	<b>Page</b>
<b>Chapter 3</b>		
<b>GPS Reference Systems</b>		
General .....	3-1	3-1
Geodetic Coordinate Systems.....	3-2	3-1
WGS 84 Reference Ellipsoid.....	3-3	3-2
Horizontal Datums and Reference Frames.....	3-4	3-2
Transforming between Horizontal Survey Datums .....	3-5	3-5
Orthometric Elevations.....	3-6	3-7
WGS 84 Ellipsoidal Heights .....	3-7	3-9
Orthometric Height and WGS 84 Ellipsoidal Elevation Relationship .....	3-8	3-9
Geoid Undulations and Geoid Models .....	3-9	3-10
North American Vertical Datum of 1988 (NAVD 88).....	3-10	3-11
Using GPS to Densify Orthometric Elevations .....	3-11	3-12
GPS Vertical Site Calibration.....	3-12	3-13
GPS Time References.....	3-13	3-15
<b>Chapter 4</b>		
<b>GPS Absolute Positioning Determination Concepts, Errors, and Accuracies</b>		
General .....	4-1	4-1
Absolute Point Positioning .....	4-2	4-1
GPS Absolute Position Solution Process--Pseudoranging .....	4-3	4-2
GPS Point Positioning Accuracies .....	4-4	4-4
Positional Accuracy Statistics--Root Mean Square.....	4-5	4-5
GPS Range Error Budget.....	4-6	4-7
User Equivalent Range Error.....	4-7	4-11
Satellite Geometry Effects on Accuracy--Geometrical Dilution of Precision.....	4-8	4-12
Resultant Positional Accuracy of Point Positioning.....	4-9	4-14
<b>Chapter 5</b>		
<b>Differential or Relative Positioning Determination Concepts</b>		
General .....	5-1	5-1
Differential Positioning Concepts .....	5-2	5-1
Differential Positioning (Code Pseudorange Tracking) .....	5-3	5-2
Differential Positioning (Carrier Phase Tracking).....	5-4	5-4
Carrier Phase Survey Techniques.....	5-5	5-5
Real-time Kinematic (RTK) GPS.....	5-6	5-7
Differential GPS Error Sources .....	5-7	5-8
Differential GPS Accuracies .....	5-8	5-9
Differential GPS Augmentation Systems .....	5-9	5-11
<b>Chapter 6</b>		
<b>GPS Applications in USACE</b>		
General .....	6-1	6-1
Project Control Densification .....	6-2	6-3
Facility Site Plan Topographic Mapping and GIS Surveys	6-3	6-4

<b>Subject</b>	<b>Paragraph</b>	<b>Page</b>
Shallow Wetland Mapping .....	6-4	6-5
Flood Control Projects--Levee Assessments.....	6-5	6-6
Navigation Project Survey Vessel and Dredge Control .....	6-6	6-6
Hydraulic and Hydrology Studies .....	6-7	6-8
Structural Deformation Surveys .....	6-8	6-9
Construction Stakeout and Grading.....	6-9	6-10
Coastal Engineering Surveys.....	6-10	6-10
Photogrammetric Mapping Control.....	6-11	6-11

## **Chapter 7**

### **GPS Receiver and Equipment Selection**

General .....	7-1	7-1
Types of GPS Receivers.....	7-2	7-1
GPS Receiver Selection Considerations.....	7-3	7-2
Military Grade GPS Receivers .....	7-4	7-5
GPS Receiver Manufacturers .....	7-5	7-6
Other Auxiliary Equipment .....	7-6	7-7
Resource Grade GIS Mapping Receivers .....	7-7	7-8
Common Data Exchange Formats.....	7-8	7-10
GPS Training and Operation Manuals.....	7-9	7-13
Guide Specifications for Procuring Geodetic Quality GPS Receivers .....	7-10	7-13

## **Chapter 8**

### **Planning Data Collection with GPS**

Scope .....	8-1	8-1
General Planning Considerations for GPS Surveys .....	8-2	8-1
Project Control Function and Accuracy .....	8-3	8-2
Selection of a GPS Survey Technique.....	8-4	8-8
Planning Differential Code Phase GPS Surveys .....	8-5	8-9
Field Reconnaissance for GPS Surveys.....	8-6	8-10
Technical Criteria for Carrier Phase GPS Horizontal Control Surveys.....	8-7	8-18
Recommended Static Baseline Occupation Times for		
Horizontal Control Surveys .....	8-8	8-23
Network Design and Layout for Carrier Phase GPS Horizontal Control Surveys ...	8-9	8-24
Planning Vertical Control Surveys using Carrier Phase GPS .....	8-10	8-29
Technical Criteria for GPS Vertical Densification.....	8-11	8-30
Orthometric Elevation Guidelines .....	8-12	8-30
Additional Guidelines and Recommendations for		
Planning GPS Vertical Densification .....	8-13	8-33
Cadastral Survey Standards and Guidelines using GPS .....	8-14	8-35
Field Planning Considerations for GPS Surveys.....	8-15	8-36
Mandatory Criteria .....	8-16	8-38

<b>Subject</b>	<b>Paragraph</b>	<b>Page</b>
<b>Chapter 9</b>		
<b>Conducting GPS Field Surveys</b>		
General .....	9-1	9-1
General GPS Field Survey Procedures .....	9-2	9-1
<b>Section I--Conducting Absolute GPS Positioning and Navigation Surveys</b>		
General .....	9-3	9-12
Absolute Point Positioning Techniques.....	9-4	9-12
Absolute GPS Navigation Systems .....	9-5	9-12
Mapping Grade GPS Receivers.....	9-6	9-13
<b>Section II: Conducting Differential GPS Code Phase Positioning and Mapping Surveys</b>		
General .....	9-7	9-15
USCG DGPS Radiobeacon Navigation Service.....	9-8	9-15
FAA Wide Area Augmentation System (WAAS).....	9-9	9-18
FAA Local Area Augmentation System (LAAS).....	9-10	9-20
OmniSTAR Wide-Area Differential Positioning Service .....	9-11	9-21
LandStar Differential GPS Service (Thales) .....	9-12	9-23
Code and Carrier Phase Wide Area Augmentation Services.....	9-13	9-24
<b>Section III: Conducting Differential GPS Carrier Phase Surveys</b>		
General .....	9-14	9-25
Ambiguity Resolution .....	9-15	9-25
Static Carrier Phase Field Survey Techniques .....	9-16	9-26
Rapid/Fast Static Surveying Procedures.....	9-17	9-27
Kinematic GPS Survey Techniques .....	9-18	9-29
Stop-and-Go Kinematic Field Survey Techniques .....	9-19	9-29
Pseudo-Kinematic Field Survey Techniques.....	9-20	9-31
Real-Time Kinematic (RTK) Field Surveying Techniques.....	9-21	9-32
RTK Survey Field Procedures and Calibrations.....	9-22	9-34
<b>Chapter 10</b>		
<b>Post-Processing Differential GPS Observational Data</b>		
General .....	10-1	10-1
General Differential Reduction Techniques .....	10-2	10-1
Carrier Phase Observables.....	10-3	10-2
Baseline Solution by Linear Combination.....	10-4	10-2
Baseline Solution by Cycle Ambiguity Recovery.....	10-5	10-5
Field/Office Baseline Processing.....	10-6	10-6
Resultant Baseline Output and Quality Criteria .....	10-7	10-8
Examples of Baseline Reduction Software Output .....	10-8	10-12
Baseline Reduction Summaries .....	10-9	10-17
Baseline Reduction in Mapping Grade GPS Receivers.....	10-10	10-19
Field/Office Loop Closure Checks .....	10-11	10-20
On-Line Positioning User Service (OPUS) .....	10-12	10-23
Scripps Coordinate Update Tool (SCOUT).....	10-13	10-28
Automated GIPSY Analyses (Jet Propulsion Laboratory) .....	10-14	10-29
Baseline Data Management and Archival .....	10-15	10-29

<b>Subject</b>	<b>Paragraph</b>	<b>Page</b>
<b>Chapter 11</b>		
<b>Adjustment of GPS Surveys</b>		
General .....	11-1	11-1
Adjustment Considerations .....	11-2	11-1
GPS Error Measurement Statistics .....	11-3	11-2
Survey Adjustments and Accuracy .....	11-4	11-4
Free or Minimally Constrained Adjustments .....	11-5	11-7
Fully Constrained Adjustments .....	11-6	11-8
Partially Constrained Adjustments .....	11-7	11-10
Rigorous Least Squares Adjustments of GPS Surveys .....	11-8	11-11
Network Adjustment Software Used in Corps .....	11-9	11-12
Network Adjustment Criteria .....	11-10	11-13
Baseline Weights--Covariance Matrix .....	11-11	11-14
Adjustment Output Statistics .....	11-12	11-16
Minimally Constrained Adjustment Considerations .....	11-13	11-16
Relative Baseline Accuracy Estimates .....	11-14	11-17
Normalized or Standardized Residuals.....	11-15	11-18
Outlier Tests and Reject Criteria .....	11-16	11-19
Positional Accuracy Statistics and Error Ellipses.....	11-17	11-21
Sample GPSurvey Network Adjustment--San Juan PR Flood Control Project.....	11-18	11-24
Sample Network Adjustment--Virginia Key, FL Disposal Area Site .....	11-19	11-29
Sample Network Adjustment--Everglades National Park		
Modified Water Deliveries .....	11-20	11-36
Approximate Adjustments of GPS Networks.....	11-21	11-43
Geocentric Coordinate Conversions.....	11-22	11-49
Evaluation of Adjustment Results .....	11-23	11-52
Final Adjustment Reports, Submittals, and Metadata .....	11-24	11-53
Mandatory Requirements .....	11-25	11-59
<b>Chapter 12</b>		
<b>Contracting GPS Surveying Services</b>		
General .....	12-1	12-1
Brooks Architect-Engineer Act` .....	12-2	12-1
Contracting Processes and Procedures .....	12-3	12-1
Indefinite Delivery Contracts and Task Orders .....	12-4	12-2
Contract Price Schedule .....	12-5	12-3
Sample Cost Estimate for Contracted GPS Survey Services.....	12-6	12-5
Cost Per Work Unit (GPS Station) Schedule .....	12-7	12-6
Contract Specifications and Accuracy Standards.....	12-8	12-6
Contract Statements of Work .....	12-9	12-7
Contract Quality Control and Quality Assurance.....	12-10	12-7
Task Order Time and Cost Estimates .....	12-11	12-7
Sample Task Order for GPS Services.....	12-12	12-8

**Appendix A References**

**Appendix B Abbreviations and Acronyms**

**Appendix C Contract Schedules for GPS Surveying Services**

**Appendix D Application: Dredge Material Disposal Area RTK Cross-Sections (Jacksonville District)**

**Appendix E Application: Photogrammetric Mapping Control Surveys of Nine Mile Run (Pittsburgh District)**

**Appendix F Application: Static GPS Control Survey--Coyote Dam, Russian River, CA (Sacramento District)**

**Appendix G Application: Structural Deformation Reference Network Survey--Dworschak Dam, Idaho (Walla Walla District and Topographic Engineer Center)**

**Appendix H Application: Upper Saginaw River, MI Navigation Project--Second-Order GPS Photo Mapping Control Surveys (Detroit District)**

**Appendix I Application: Rio Guamani, Puerto Rico Section 205 Flood Control Project--GPS Horizontal and Vertical Control Densification (Jacksonville District)**

**Appendix J Application: Upland Disposal Area GPS Control Survey--Manatee Harbor, FL (Jacksonville District)**

**Glossary**